

GYNEGOLOGY Equipment

PRP Centrifuge

- Table Top Centrifuge Machine, Adjust Speed 500 to 4400 as per Program
- Compact body which is made of plastic CRC sheet duly powder coated.
- Inner safety bowl made of aluminum,
- Fitted with well balance Universal motor having long life with imported carbons.
- Digital display shows set time/balance time/RCF.
 Microprocessor based digital timer of range 1-99 min...



Specification

Max Speed	4400 RPM
Motor	Universal Motor (with Carbon Brushes) 1/8 HP
Power	AC 220V 50 Hz 10%
Dimension of Machine	L: 15.5", W: 14.0", H: 11.5"
Dimension of Outer Box	L: 19.0", W: 17.5", H: 17.5"
Net Weight	12.5 Kg (Approx) Gross with Box: 14 Kg
Current	220 V 50 Hz (AC)
	l /

List of Standard Set

- Centrifuge Machine 1 No
- Instruction Manual 1 No
- Cord & Plug -1 No
- 6 5 111
- Spare Fuse -1 No
- Gotty -1 No
- Head Puller -1 No

- Especially designed for PRP
- Swingout Rotor with 8*15ml tube
- Digital display with Lid Lock for safe drive
- Microprocessor based
- Motor with Carbon Brush
- Max Speed 4400 rpm







AMT, Plot No- A815, MIDC Industrial Area, Kopar Khairane, Navi Mumbai, Maharashtra 400709

Office: +91-9322673077 | +91-9892703077 **Office**: +91-8080321777 | +91-9321548914

Web: www.amtmedicals.com **Email**: info@amtmedicals.com